

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Vernon Alvarez et al.

Application No. 10/516,079

International Filing Date: June 2, 2003

Date of Entry into U.S. National Stage: November 29, 2004

Examiner: Not Assigned

Art Unit: 1645

For: Combination Chemotherapy With Chlorotoxin

## INFORMATION DISCLOSURE STATEMENT UNDER 37 C.F.R. 1.97(b)

Pursuant to 37 C.F.R. 1.56 and 1.97(b), Applicants bring to the attention of the Examiner the documents listed on the attached PTO-1449 forms. This Information Disclosure Statement is being filed, to the best of the undersigned's knowledge, before the mailing date of a first Office Action on the merits for the above-referenced application. Accordingly, Applicants do not believe that a fee is due with the filing of this paper.

With the exception of documents as through aj, copies of the listed documents are attached. The present application is a U.S. National Phase Application of International Patent Application PCT/US03/17410 (filed June 2, 2003) Documents aa, ag and ai were cited in the International Search Report which issued in International Patent Application PCT/US03/17410.

Applicants respectfully request that the Examiner consider the listed documents and evidence that consideration by making appropriate notations on the attached form. This submission does not represent that a search has been made or that no better art exists and does not constitute an admission that each or all of the listed documents are material or constitute prior art. If the Examiner applies any one of the documents as prior art against any claim in the application, and Applicants determine that the cited document does not constitute prior art under United States law, Applicants reserve the right to present to the office the relevant facts and law regarding the appropriate status of such document.

Applicants further reserve the right to take appropriate action to establish the patentability of the disclosed invention over the listed documents, should one or more of the documents be applied against the claims of the present application.

Except for issue fees payable under 37 C.F.R. 1.18, the Commissioner is hereby authorized by

Attorney Docket 051530-5006 Application 10/516,079 Page 2

this paper to charge any additional fees during the entire pendency of this application including fees due under 37 C.F.R. 1.16 and 1.17 which may be required, including any required extension of time fees, or credit any overpayment to Deposit Account No. 50-0310. This paragraph is intended to be a constructive petition for extension of time in accordance with 37 C.F.R. 1.136(a)(3).

Dated: November 2, 2005 Morgan, Lewis & Bockius LLP Customer No. 09629 1111 Pennsylvania Avenue Washington, D.C. 20004 202-739-3000 Respectfully submitted, Morgan, Lewis & Bockius LLP

Heather M. Boussios Registration No. 52,704

(Use several sheets if necessary)				Applicants: Vernon L. ALVAREZ		EZ et. al.	Page 1 of 2	
PTO Form 1449			Date of Entry into U					
			Stage: November 29, 2004		Group Art U	Group Art Unit: 1645		
			U.S. PA	TENT DOCUMENTS				
nitial		Document No.	Date	Name	Class	Sub-Class	Filing Date	
-	aa	6,028,174	02/22/2000	Ullrich <i>et al</i> .				
	ab	5,756,340	05/26/1998	Hammock et al.				
	ac	5,750,376	05/12/1998	Weiss et al.				
	ad	5,223,253	06/29/1993	Hall et al.				
	ae	5,212,290	05/18/1993	Vogelstein et al.				
	af	5,626,862	05/06/1997	Brem et al.				
	ag	5,905,027	05/18/1999	Ullrich et al.				
	ah	6,429,187	08/06/2002	Sontheimer et al.				
	ai	6,319,891	11/20/2001	Sontheimer et al.				
	aj	US 2002/0065216	05/30/2002	Sontheimer et al.				
			FOREIGN	PATENT DOCUMEN	TS.			
		Document No.	Date	Country	Class	Sub-Class	Translation	
	ak	WO 97/24619	07/10/1997	PCT				
		1107/121015	07/10/1557					
	am	recordings from a human astrocytoma in culture, J. Physiol. 438:128-129  Brismar et al. (1989) Inward rectifying potassium channels in human malignant glioma cells, Brain Res. 480:249-258						
						aliama cells Bro		
	an	Brismar et al. (1989) Po 480:259-267	tassium and sod	ium channeis in numa	n mangnant	gionia cens, Di a	ain Res.	
	an ao	480:259-267						
	-	480:259-267 Chiu <i>et al.</i> (1989) The re	ole of potassium	channels in Schwann				
	-	480:259-267 Chiu et al. (1989) The reexplant rabbit sciatic ne	ole of potassium erves, J. Physiol.	channels in Schwann (	cell prolifera	tion in Walleria	n degeneration of	
	ao	480:259-267 Chiu et al. (1989) The reexplant rabbit sciatic new Deane et al. (1992) An a	ole of potassium erves, J. Physiol lternative pathy	channels in Schwann ( 408:199-222 vay of B cell activation	cell prolifera	tion in Walleria	n degeneration of	
	ao	480:259-267 Chiu et al. (1989) The reexplant rabbit sciatic need became et al. (1992) An abinding motif on AEn-red DeBin et al. (1991) Chlo	ole of potassium erves, J. Physiol lternative pathy elated proteins t	channels in Schwann of 408:199-222 way of B cell activation to stimulate motogenes	cell prolifera : stilbene dis is, Eur. J. In	tion in Walleria ulfonates interac nmunol. 22:1165	n degeneration of ct with a Cl <sup>-</sup> -1171	
	ao ap aq	480:259-267 Chiu et al. (1989) The reexplant rabbit sciatic need to be an et al. (1992) An abinding motif on AEn-red DeBin et al. (1991) Chloroxicon. 29:1403-1408	ole of potassium erves, J. Physiol. Iternative pathv elated proteins to oride channel inl	channels in Schwann of 408:199-222 way of B cell activation to stimulate motogenes hibition by the venom of	cell prolifera : stilbene dis is, Eur. J. In of the scorpio	ation in Walleria ulfonates interac nmunol. 22:1165 on <i>Leiurus quing</i>	n degeneration of ct with a Cl <sup>-</sup> -1171 uestriatus,	
	ao ap	480:259-267 Chiu et al. (1989) The reexplant rabbit sciatic need to be an et al. (1992) An abinding motif on AEn-ref DeBin et al. (1991) Chloroxicon. 29:1403-1408 DeBin et al. (1993) Puri	ole of potassium erves, J. Physiol. Iternative pathy elated proteins or oride channel inl	channels in Schwann of 408:199-222 way of B cell activation to stimulate motogeness hibition by the venom of chloro	cell prolifera : stilbene dis is, Eur. J. In of the scorpio	ation in Walleria ulfonates interac nmunol. 22:1165 on <i>Leiurus quing</i>	n degeneration of ct with a Cl <sup>-</sup> -1171 uestriatus,	
	ao ap aq ar	480:259-267 Chiu et al. (1989) The reexplant rabbit sciatic new Deane et al. (1992) An abinding motif on AEn-republic DeBin et al. (1991) Chloroxicon. 29:1403-1408 DeBin et al. (1993) Puri venom of the scorpion,	ole of potassium erves, J. Physiol. Iternative pathy elated proteins to ride channel infication and cha	channels in Schwann of 408:199-222 way of B cell activation to stimulate motogenes nibition by the venom of chloro 264:C361-369	cell prolifera : stilbene dis is, Eur. J. In of the scorpic toxin, a chlo	ulfonates interac nmunol. 22:1165 on Leiurus quinq ride channel liga	n degeneration of ct with a Cl <sup>-</sup> -1171 <i>uestriatus</i> , and from the	
	ao ap aq	480:259-267 Chiu et al. (1989) The reexplant rabbit sciatic need al. (1992) An abinding motif on AEn-relation DeBin et al. (1991) Chloroxicon. 29:1403-1408 DeBin et al. (1993) Purivenom of the scorpion, De Muralt et al. (1983)	ole of potassium erves, J. Physiol. Iternative pathwelated proteins to bride channel infication and change. Am. J. Physiol. 28	channels in Schwann of 408:199-222 way of B cell activation to stimulate motogeness hibition by the venom of chloro 264:C361-369 tiglioma monoclonal ar	cell prolifera : stilbene dis is, Eur. J. In of the scorpic toxin, a chlo	ulfonates interac nmunol. 22:1165 on Leiurus quinq ride channel liga	n degeneration of ct with a Cl <sup>-</sup> -1171 <i>uestriatus</i> , and from the	
	ao ap aq ar	480:259-267 Chiu et al. (1989) The reexplant rabbit sciatic need al. (1992) An abinding motif on AEn-red DeBin et al. (1991) Chloroxicon. 29:1403-1408 DeBin et al. (1993) Purivenom of the scorpion, De Muralt et al. (1983) and other neuroectoder	ole of potassium erves, J. Physiol. Iternative pathy elated proteins to ride channel infication and cha Am. J. Physiol. Am derived tumo	channels in Schwann of 408:199-222 way of B cell activation to stimulate motogeness hibition by the venom of chloro 264:C361-369 diglioma monoclonal arrs, Anticancer Res. 3:1	cell prolifera : stilbene dis is, Eur. J. In of the scorpic toxin, a chlo ntibodies for	ulfonates interac nmunol. 22:1165 on Leiurus quinq ride channel liga	n degeneration of ct with a Cl <sup>-</sup> -1171 <i>uestriatus</i> , and from the	
	ao ap aq ar as	480:259-267 Chiu et al. (1989) The reexplant rabbit sciatic need to be an et al. (1992) An abinding motif on AEn-red DeBin et al. (1991) Chloroxicon. 29:1403-1408 DeBin et al. (1993) Purivenom of the scorpion, De Muralt et al. (1983) and other neuroectoder Goldstein et al. (1986) T	ole of potassium erves, J. Physiol. Iternative pathy elated proteins to ride channel infication and cha Am. J. Physiol. Am. J. Physiol. Am derived tumo The Blood Brain	channels in Schwann of 408:199-222 way of B cell activation to stimulate motogeness hibition by the venom of cacterization of chloro 264:C361-369 diglioma monoclonal arrs, Anticancer Res. 3:1 Barrier, Sci. Am. 255:	cell proliferal stilbene distis, Eur. J. In of the scorpid toxin, a chlor ntibodies for 1-6	ulfonates interaction in Wallerian ulfonates interaction in 22:1165 on Leiurus quinquide channel ligation a large panel of	n degeneration of ct with a Cl <sup>-</sup> -1171 westriatus, and from the cultured gliomas	
	ao ap aq ar	480:259-267 Chiu et al. (1989) The reexplant rabbit sciatic need al. (1992) An abinding motif on AEn-red DeBin et al. (1991) Chloroxicon. 29:1403-1408 DeBin et al. (1993) Purivenom of the scorpion, De Muralt et al. (1983) and other neuroectoder Goldstein et al. (1986) A voltage of the control of the scorpion.	ole of potassium erves, J. Physiol. Iternative pathy elated proteins to ride channel infication and cha Am. J. Physiol. Am. J. Physiol. Am derived tumo The Blood Brain	channels in Schwann of 408:199-222 way of B cell activation to stimulate motogeness hibition by the venom of cacterization of chloro 264:C361-369 diglioma monoclonal arrs, Anticancer Res. 3:1 Barrier, Sci. Am. 255:	cell proliferal stilbene distis, Eur. J. In of the scorpid toxin, a chlor ntibodies for 1-6	ulfonates interaction in Wallerian ulfonates interaction in 22:1165 on Leiurus quinquide channel ligation a large panel of	n degeneration of ct with a Cl <sup>-</sup> -1171 westriatus, and from the cultured gliomas	
	ao ap aq ar as	480:259-267 Chiu et al. (1989) The reexplant rabbit sciatic need al. (1992) An abinding motif on AEn-reflection DeBin et al. (1991) Chloroxicon. 29:1403-1408 DeBin et al. (1993) Purivenom of the scorpion, and other neuroectoder Goldstein et al. (1986) The Gray et al. (1986) A volta 228:267-288 Grissmer et al. (1993) Constant of the scorpion of the scorpion, and other neuroectoder Goldstein et al. (1986) The Gray et al. (1986) A volta 228:267-288	ole of potassium erves, J. Physiol. Iternative pathy elated proteins to ride channel infication and cha Am. J. Physiol. Am. J. Physiol. Am. derived tumo the Blood Brain tage-gated chlor	channels in Schwann of 408:199-222 way of B cell activation to stimulate motogenes nibition by the venom of cacterization of chloro 264:C361-369 diglioma monoclonal arrs, Anticancer Res. 3:1 Barrier, Sci. Am. 255: ide conductance in rat	cell proliferal stilbene distis, Eur. J. In of the scorpic toxin, a chlor tibodies for 1-6 74-83 cultured ast	ulfonates interaction in Walleria.  ulfonates interaction	n degeneration of ct with a Cl-1171 uestriatus, and from the cultured gliomas . Soc. Lond.	
	ao ap aq ar as at au	480:259-267 Chiu et al. (1989) The reexplant rabbit sciatic need al. (1992) An abinding motif on AEn-red DeBin et al. (1991) Chloroscion. 29:1403-1408 DeBin et al. (1993) Purivenom of the scorpion, De Muralt et al. (1983) and other neuroectoder Goldstein et al. (1986) Toray et al. (1986) Avoit 228:267-288 Grissmer et al. (1993) Col. Gen. Phys. 102:601-6	ole of potassium erves, J. Physiol. Iternative pathy elated proteins to ride channel infication and cha Am. J. Physiol. Am. J. Physiol. Am. derived tumo The Blood Brain tage-gated chlor calcium-activate 30	channels in Schwann of 408:199-222 way of B cell activation to stimulate motogeness hibition by the venom of cacterization of chloro 264:C361-369 miglioma monoclonal arrs, Anticancer Res. 3:1 Barrier, Sci. Am. 255: ide conductance in rat d potassium channels i	cell proliferal stilbene distis, Eur. J. In of the scorpic toxin, a chlor tibodies for 1-6 74-83 cultured ast	ulfonates interaction in Walleria ulfonates interactions. 22:1165 on Leiurus quinquide channel ligation a large panel of crocytes, Proc. R. d activated humanical street in the channel ligation and the channel ligations.	n degeneration of ct with a Cl-1171 -1171 -uestriatus, and from the cultured gliomas . Soc. Lond.	
	ao ap aq ar as at au	480:259-267 Chiu et al. (1989) The reexplant rabbit sciatic need al. (1992) An abinding motif on AEn-red DeBin et al. (1991) Chlor Toxicon. 29:1403-1408 DeBin et al. (1993) Purivenom of the scorpion, De Muralt et al. (1983) and other neuroectoder Goldstein et al. (1986) Toxicon et al. (1986) Toxicon. 29:28:267-288 Grissmer et al. (1993) Coxicon et al. (1990) Evide	ole of potassium erves, J. Physiol. Iternative pathy elated proteins to ride channel infication and cha Am. J. Physiol. Am. J. Physiol. Am. derived tumo the Blood Brain tage-gated chlor calcium-activate 30 ence for GABA-l	channels in Schwann of 408:199-222 way of B cell activation to stimulate motogeness hibition by the venom of cacterization of chloro 264:C361-369 figlioma monoclonal arrs, Anticancer Res. 3:1 Barrier, Sci. Am. 255: ide conductance in rat d potassium channels i	cell proliferal stilbene distis, Eur. J. In of the scorpic toxin, a chlor tibodies for 1-6 74-83 cultured ast	ulfonates interaction in Walleria ulfonates interactions. 22:1165 on Leiurus quinquide channel ligation a large panel of crocytes, Proc. R. d activated humanical street in the channel ligation and the channel ligations.	n degeneration of ct with a Cl -1171 vestriatus, and from the cultured gliomas . Soc. Lond.	
	ao ap aq ar as at au av	480:259-267 Chiu et al. (1989) The reexplant rabbit sciatic need al. (1992) An abinding motif on AEn-red DeBin et al. (1991) Chloroscion. 29:1403-1408 DeBin et al. (1993) Purivenom of the scorpion, De Muralt et al. (1983) and other neuroectoder Goldstein et al. (1986) Toray et al. (1986) Avoit 228:267-288 Grissmer et al. (1993) Col. Gen. Phys. 102:601-6	ole of potassium erves, J. Physiol. Iternative pathy elated proteins to ride channel infication and cha Am. J. Physiol. Am. J. Physiol. Am. derived tumo the Blood Brain tage-gated chlor elacium-activate 30 ence for GABA-lrain. Res. 80:62	channels in Schwann of 408:199-222 way of B cell activation to stimulate motogeness hibition by the venom of cacterization of chloro 264:C361-369 diglioma monoclonal arrs, Anticancer Res. 3:1 Barrier, Sci. Am. 255: ide conductance in rated potassium channels in B receptors on culture of 1-625	cell proliferal stilbene distis, Eur. J. In of the scorpic toxin, a chlor tibodies for 1-6 74-83 cultured ast	ulfonates interaction in Walleria ulfonates interactions. 22:1165 on Leiurus quinquide channel ligation a large panel of crocytes, Proc. R. d activated humanical street in the channel ligation and the channel ligations.	n degeneration of ct with a Cl-1171 -1171 -uestriatus, and from the cultured gliomas . Soc. Lond.	
xamine	ao ap aq ar as at au av	480:259-267 Chiu et al. (1989) The reexplant rabbit sciatic need al. (1992) An abinding motif on AEn-red DeBin et al. (1991) Chlor Toxicon. 29:1403-1408 DeBin et al. (1993) Purivenom of the scorpion, De Muralt et al. (1983) and other neuroectoder Goldstein et al. (1986) Toxicon et al. (1986) Toxicon. 29:28:267-288 Grissmer et al. (1993) Coxicon et al. (1990) Evide	ole of potassium erves, J. Physiol. Iternative pathy elated proteins to ride channel infication and cha Am. J. Physiol. Am. J. Physiol. Am. derived tumo the Blood Brain tage-gated chlor elacium-activate 30 ence for GABA-lrain. Res. 80:62	channels in Schwann of 408:199-222 way of B cell activation to stimulate motogeness hibition by the venom of cacterization of chloro 264:C361-369 figlioma monoclonal arrs, Anticancer Res. 3:1 Barrier, Sci. Am. 255: ide conductance in rat d potassium channels i	cell proliferal stilbene distis, Eur. J. In of the scorpic toxin, a chlor tibodies for 1-6 74-83 cultured ast	ulfonates interaction in Walleria ulfonates interactions. 22:1165 on Leiurus quinquide channel ligation a large panel of crocytes, Proc. R. d activated humanical street in the channel ligation and the channel ligations.	n degeneration of ct with a Cl-1171 -1171 -uestriatus, and from the cultured gliomas . Soc. Lond.	

	AATION DISCLOSURE CITATION	Attorney Docket 051530-5006	Application No. 10/516,079			
(	Use several sheets if necessary)	Applicants: Vernon L. ALVAREZ	et. al. Page 2 of			
	PTO Form 1449	Date of Entry into U.S. National Stage: November 29, 2004	Group Art Unit: 1645			
· <del></del>		ing Author, Title, Date, Pertinent Page				
ax	Huang et al. (1994) Potassium channel induction by the Ras/Raf signal transduction cascade, J. Biol. Cl 269:31183-31189					
ay .	Jalonen (1993) Single-channel character astrocytes in primary culture, Glia 9:22		channel in rat cortical			
az	Kunwar et al. (1993) Cytotoxicity and an glioblastoma multiforme cells, J. Neuros	ntitumor effects of growth factor-toxin fusion proteins on human				
ba	Nilius <i>et al.</i> (1992) Potassium channels a 445:537-548	nd regulation of proliferation of huma	n melanoma cells, J. Physiol.			
bb .	NeuroReport 6:193-196	roliferation by $\mathbf{K}^{\dagger}$ channel blockers is mediated by changes in pH <sub>i</sub> ,				
be ,	Pappone <i>et al.</i> (1993) Blockers of voltage Am. J. Physiol. 264:C1014-1019					
þ₫						
be (	Puro et al. (1989) Retinal glial cell prolif Sci. 30:521-529	eration and ion channels: A possible li	nk, Invest. Ophthalmol. Vis.			
bf	Sakamoto et al. (1996) Identification of a new outwardly rectifying Cl channel that belongs to a subfamily of the CIC Cl channels, J. Biol. Chem. 271:10210-10216					
bg	Somogyi et al. (1989) Subcellular localiz cat and monkey using monoclonal antib	ation of benzodiazepine/GABA, recept	tors in the cerebellum of rat,			
bh	Sontheimer (1994) Voltage-dependent ic		72			
~bi	Soroceanu et al. (1998) Use of chlorotoxi					
bj.	Soroceanu et al. (1999) Modulation of G Blockers, J. Neurosci. 19:5942-5954.					
bk.	Steinmeyer et al. (1995) Cloning and fun disease, J. Biol. Chem. 270:31172-31177	•	oride channel related to kidne			
bl ,	Uchida <i>et al.</i> (1995) Localization and functional characterization of rat kidney-specific chloride channel CIC K1, J. Clin. Invest. 95:104-113					
bm,	Ullrich et al. (1996) Human astrocytoma cells express a unique chloride current, NeuroReport 7:1020-1024					
bn -	Ullrich et al. (1996) Biophysical and pha astrocytoma cells, Am. J. Physiol. 270:C	rmacological characterization of chlor				
bq	Ullrich et al. (1998) Expression of Voltag Neurosci. 83:1161-1173.		ite Slices of Human Gliomas,			
bp	Wilson et al. (1993) Mitogenic factors re sciatic nerve, J. Physiol. 470:501-520	gulate ion channels in Schwann cells c	ultured from newborn rat			
bq	Woodfork et al. (1995) Inhibition of AT human breast cancer cells in tissue cultu		reversible cell-cycle arrest of			
aminer		Considered				
ашша	Date	Considera				
		ation is in conformance with MPEP 609	1 1: 1 1 ::-::-::6			